

# Config File

Here is an example of an AsapSettings.exe.config file.

```
<?xml version="1.0" encoding="utf-8" ?>
<configuration>
<configSections>
    <section name="enterpriselibrary.configurationSettings"
    type="Microsoft.Practices.EnterpriseLibrary.ConfigurationManagerSectionHandler,
    Microsoft.Practices.EnterpriseLibrary.Configuration" />
    <section name="log4net" type="System.Configuration.IgnoreSectionHandler" />
</configSections>
<enterpriselibrary.configurationSettings xmlns:xsd="http://www.w3.org/2001/XMLSchema"
    xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
    applicationName="Application"
    xmlns="http://www.microsoft.com/practices/enterpriselibrary/08-31-2004/configuration">
    <configurationSections>
        <configurationSection name="AsapSettings" encrypt="false">
            <storageProvider xsi:type="XmlFileStorageProviderData" name="XML File Storage
            Provider" path="AsapSettings.config" />
            <dataTransformer xsi:type="XmlSerializerTransformerData" name="Xml Serializer
            Transformer">
                <includeTypes />
            </dataTransformer>
        </configurationSection>
        <configurationSection xsi:type="ReadOnlyConfigurationSectionData"
            name="securityConfiguration" encrypt="false">
            <storageProvider xsi:type="XmlFileStorageProviderData" name="XML File Storage
            Provider" path="securityConfiguration.config" />
            <dataTransformer xsi:type="XmlSerializerTransformerData" name="Xml Serializer
            Transformer">
                <includeTypes />
            </dataTransformer>
        </configurationSection>
    </configurationSections>
    <keyAlgorithmStorageProvider xsi:nil="true" />
    <includeTypes />
</enterpriselibrary.configurationSettings>
<appSettings>
    <add key="CZ.Advantages.Asap.Sharepoint.ListsWebService.Lists"
    value="http://companyweb/_vti_bin/Lists.asmx" />
</appSettings>
<!-- logging configuration -->
<log4net>
    <!-- ConsoleAppender will send the logs to the Output pad -->
    <appender name="ConsoleAppender" type="log4net.Appender.ConsoleAppender">
        <layout type="log4net.Layout.PatternLayout">
            <conversionPattern value="%-5level %logger - %message%newline" />
        </layout>
    </appender>
    <appender name="WorkflowConsoleAppender" type="log4net.Appender.ConsoleAppender">
        <layout type="log4net.Layout.PatternLayout">
            <conversionPattern value="%message%newline" />
        </layout>
    </appender>
    <appender name="RuleConsoleAppender" type="log4net.Appender.ConsoleAppender">
        <layout type="log4net.Layout.PatternLayout">
            <conversionPattern value="Rule: %message%newline" />
        </layout>
    </appender>
```

```
</layout>
</appender>
<root>
<level value="INFO" />
<appender-ref ref="ConsoleAppender" />
</root>
<logger name="CZ.Advantages.Asap.Workbench.Services" additivity="false">
<level value="DEBUG" />
<appender-ref ref="WorkflowConsoleAppender" />
</logger>
<logger name="CZ.Advantages.Asap.Workflow" additivity="false">
<level value="DEBUG" />
<appender-ref ref="WorkflowConsoleAppender" />
</logger>
<logger name="CZ.Advantages.Asap.Rule" additivity="false">
<level value="DEBUG" />
<appender-ref ref="RuleConsoleAppender" />
```

```
</logger>
</log4net>
</configuration>
```